Mark schemes

1 (a) frequency

1

(b) echo(es)

1

(c) 340 (m/s)

*allow **1** mark for correct substitution ie 25 000 × 0.0136 provided no subsequent step*

or

*allow **1** mark for a correct calculation showing an incorrect value from conversion to hertz × 0.0136*

*an answer of 0.34 gains **1** mark*

2

(d) (a wave where the) oscillations are parallel to the direction of energy transfer

both marking points may appear as labels on a diagram

accept vibrations for oscillations
accept in same direction as for parallel to
allow direction of wave (motion) for direction of energy transfer

*allow **1** mark for a correct calculation showing an incorrect value from conversion to hertz × 0.0136*

1

causing (areas of) compression and rarefaction

accept correct description in terms of particles

mechanical wave is insufficient
needs a medium to travel through is insufficient

1

[6]

2 (a) (i) wavelength

accept frequency

accept speed

1

(ii) amplitude

accept energy
height is insufficient

1

(iii) sound

1

(b) 0.12

*allow **1** mark for correct substitution, ie 8 × 0.015 provided no subsequent step shown*

2

metre per second **or** m/s **or** metre/second

*do **not** accept mps*
units must be consistent with numerical answers

1

[6]

3 (a) the oscillation / vibration (causing the wave)

a movement causes the wave is insufficient

1

for a transverse wave is perpendicular to the direction of energy transfer

accept direction of wave travel

1

and for a longitudinal wave is parallel to the direction of energy transfer

accept direction of wave travel
*if no marks awarded allow **1** mark for correctly linking perpendicular with transverse and parallel with longitudinal*
the marks may be scored by the drawing of two correctly labelled diagrams

1

(b) for radio waves:

accept converse for each mark

are transverse

1

travel at speed of light / higher speed

1

have greater frequencies

1

can travel through vacuum

*accept sound waves are not electromagnetic for **1** mark*

1

[7]

4 (a) (i) 440 (sound) waves produced in one second

accept vibrations / oscillations for waves

1

(ii) 0.773 (metres)

*allow **2** marks for an answer that rounds to 0.773*
*allow **2** marks for an answer of $0.77\dot{2}$*
*allow **2** marks for an answer of 0.772*
*allow **1** mark for correct substitution ie $340 = 440 \times \lambda$*

3

(b) (sound is) louder

*do **not** accept the converse*

1

as amplitude is larger

waves are taller is insufficient

1

higher pitch / frequency

1

as more waves are seen

reference to wavelengths alone is insufficient

waves are closer together is insufficient

1

[8]

5 (a) (i) 20

1

20 000

either order

accept ringed answers in box

1

(ii) (frequency) above human range

accept pitch for frequency

or

(frequency) above 20 000 (Hz)

*do **not** accept outside human range*

*allow ecf from incorrect value in **(a)(i)***

1

(iii) any **one** from:

- pre-natal scanning

  accept any other appropriate scanning use

  *do **not** accept pregnancy testing*
- removal / destruction of kidney / gall stones
- repair of damaged tissue / muscle

  accept examples of repair, eg alleviating bruising, repair scar damage, ligament / tendon damage, joint inflammation

  accept physiotherapy

  accept curing prostate cancer or killing prostate cancer cells
- removing plaque from teeth

  cleaning teeth is insufficient

1

(b) 7.5×10^{-4} (m)

*$1.5 \times 10^3 = 2.0 \times 10^6 \times \lambda$ gains **1** mark*

2

(c) for reflected waves

must be clear whether referring to emitted or detected / reflected waves

if not specified assume it refers to reflected wave

any **two** from:

- frequency decreased
- wavelength increased
- intensity has decreased

allow amplitude / energy has decreased
allow the beam is weaker

2

[8]

6

(a) K

1

(b) Decreases

1

(c) use a metre rule / 30 cm ruler to measure across 10 (projected) waves

accept any practical number of waves number for 10

1

and then divide by 10

1

(d) 1.2 cm = 0.012 m

1

$18.5 \times 0.012 = 0.22(2)$ (m / s)

1

*allow 0.22(2) with no working shown for **2** marks*

typical walking speed = 1.5m / s

accept any value e.g. in the range 0.7 to 2.0 m / s

1

so the water waves are slower (than a typical walking speed)

this cannot score on its own

1

[8]

7

(a) **K**

1

(b) **L** and **M**

1

(c) the oscillation should be perpendicular to the direction of the stretched spring

allow up and down

1

(d) timing less than five echoes

1

(e) 3 (.0)

1

(f) 750 (m)

1

(g) speed = $\frac{750}{3}$

*an answer of 250 (m/s) scores **2** marks*

2

speed = 250 (m/s)

allow ecf from parts (e) and (f)

1

(h) any **two** from:

- time more than 5 echoes
- students stand further from the building
- have 2 or more students (independently) measuring the time taken

use a stopwatch with a higher resolution is insufficient

2

[10]

8

(a) ultrasound is not ionising

allow ultrasound does not harm the (unborn) baby

1

but X-rays are ionising

1

so X-rays increase the health risk to the (unborn) baby

accept specific examples of health risks, eg cancer, stunted growth, impaired brain function etc

X-rays are dangerous is insufficient

1

(b) ultrasound/waves are partially <u>reflected</u>

(when they meet a boundary) (between two different media / substances / tissues)

must be clear that not all of the wave is reflected

1

the time taken is measured (and is used to determine distances)

1

(c) 1600 (m/s)

*800 (m/s) gains **2** marks*

*160 000 (m/s) gains **2** marks*

*0.0016 (m/s) gains **2** marks*

*allow **2** marks for*

$$\frac{0.04}{25\times10^{-6}}$$

or

$$\frac{0.08}{50\times10^{-6}}$$

*80 000 (m/s) gains **1** mark*

*0.0008 (m/s) gains **1** mark*

*allow **1** mark for*

$$\frac{0.04}{25}$$

or

$$\frac{0.08}{50}$$

*allow **1** mark for evidence of doubling the distance or halving the time*

3

(d) (i) they are absorbed by bone

allow stopped for absorbed

X-rays are reflected negates this mark

1

they are transmitted by soft tissue

allow pass through for transmitted

allow flesh / muscle / fat

accept less (optically) dense material for soft tissue

1

(the transmitted) X-rays are detected

1

(ii) short

accept small

1

[12]

9 (a) pitch

1

loudness

1

(b) (i) as length (of prongs) decreases frequency / pitch increases

accept converse

accept negative correlation

ignore inversely proportional

1

(ii) 8.3 (cm)

accept 8.3 ± 0.1 cm

1

(iii) (8.3 cm is) between 7.8 (cm) and 8.7 (cm)

*ecf from part **(ii)***

1

(so *f* must be) between 384 (Hz) and 480 (Hz)

1

410 (Hz) ≤ *f* ≤ 450 (Hz)

*if only the estimated frequency given, accept for **1** mark an answer within the range*

1

(c) (i) electronic

1

(ii) frequency is (very) high

accept frequency above

*20 000 (Hz) **or** audible range*

1

so tuning fork ***or*** length of prongs would be very small (1.2 mm)

1

(d) 285.7 (Hz)

accept any correct rounding 286, 290, 300

*allow **2** marks for 285*

*allow **2** marks for correct substitution 0.0035 = 1 / f*

*allow **1** mark for T = 0.0035 s*

*allow **1** mark for an answer of 2000*

3

[13]

10 (a) high frequency sound (waves)

1

with a frequency above limit of human hearing
or with a frequency greater than 20 000 Hz

above limit of human hearing

***or** greater than 20 000 Hz gains maximum **1** mark*

1

(b) $5(.0) \times 10^{-4}$ (m)
or
0.0005 (m)

*1500 = 3 × 10^6 λ gains **2** marks*
*answer of 500 gains **2** marks*
*1500 = 3.0 λ gains **1** mark*

3

(c) it will run off the surface of the skin
or
water is not a gel

accept water would evaporate

1

(d) The width of the coupling agent

1

The width of the water

1

(e) (i) A

1

(ii) E

1

(f) (i) **K**

reflection from skin

maximum 5 marks if no mention of reflection

1

very little reflection, so small peak

1

L

reflection from front of kidney

1

large amount of reflection, so large peak

1

M

reflection from back of kidney

1

smaller peak due to absorption of ultrasound in kidney

or

smaller peak as further from source

or

front of the kidney already reflected a lot, so there is now less to be reflected

reflection from a boundary gains 1 mark if no other mark given

1

(ii) 0.06 (m)

or

$6(.0) \times 10^{-2}$

*0.12 (m) gains **2** marks*

*distance = $1500 \times 8 \times 10^{-5} \times 0.5$ gains **2** marks*

*distance = $1500 \times 8 \times 10^{-5}$ gains **1** mark*

3

[19]